

Advil Quiz: Test your knowledge of OTC oral pain management

When it comes to OTC options, how well-equipped are you to help patients gain control of their pain? Take this quiz to test your pain management skills.

1. There is consistency among Canadian, U.S., and international society guidelines in recommending acetaminophen as a first-line treatment option for the treatment of osteoarthritis (OA) of the hip, knee, and hand. True or false?*(Required)
 - ☐ True
 - ☐ False
2. In clinical studies, what is an observed advantage of using ibuprofen and acetaminophen in fixed-dose combinations, in relation to opioids?*(Required)
 - ☐ Lower incidence of adverse events
 - ☐ Reduces need for rescue use of opioids
 - ☐ Comparable or better pain relief
 - ☐ All of the above
3. In its pivotal study, published in Clinical Journal of Pain, Advil Plus Acetaminophen reduced pain (measured on a scale from 0-10) by up to:*(Required)
 - ☐ Less than 2 points
 - ☐ 3 to 4 points
 - ☐ 5 to 6 points
 - ☐ More than 6 points
4. Advil Plus Acetaminophen combines two trusted medicines, ibuprofen and acetaminophen, into one convenient tablet. Each tablet contains:*(Required)
 - ☐ Ibuprofen 250 mg, acetaminophen 500 mg
 - ☐ Ibuprofen 125 mg, acetaminophen 250 mg
 - ☐ Ibuprofen 200 mg, acetaminophen 325 mg
 - ☐ Ibuprofen 400 mg, acetaminophen 500 mg
5. Which of the following statements about Advil Liqui-Gels is true?*(Required)
 - ☐ The gelatin shell delays absorption by slowing gastric emptying.
 - ☐ Ibuprofen in Liqui-Gels is pre-dissolved, which contributes to a shorter time to peak plasma concentration (Tmax)
 - ☐ Liqui-Gels bypass hepatic metabolism, resulting in faster systemic clearance
 - ☐ The formulation increases the half-life of ibuprofen compared to tablets.

Please consult the [Product Monograph](#) for information to assist in benefit-risk assessment. Always direct the patient to read the label.